

THE UNIVERD SHAVES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Seminis Hegetable Seeds, Inc.

MACCERS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TILLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY PLANS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPURSION OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR CONTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT

283 CALL STATE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

BEAN, FIELD

'Mariah'

In Cestimon Thereof, I have hereunto set my hand and caused the seal of the Flant United Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of April, in the year two thousand and eight.

Allost:

ge-3-

Commissioner Plant Variety Protection Offico Agricultural Marketing Service Socret Siculture

SIGNATURE OF OWNER COVOLEY MULLEY		SIGNATURE OF OWNER	-	
NAME (Please print or type)		NAME (Please print or type)		
Carol L. Miller				
CAPACITY OR TITLE	DATE	CAPACITY OR TITLE	DATE	·
PVP Specialist	22-Feb-07			

(See reverse for instructions and information collection burden state

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filling fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). NEW: With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

Plant Variety Protection Office

Telephone: (301) 504-5518

FAX: (301) 504-5291 General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

#200700157

SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, Seed Regulatory and Testing Branch, 801 Summit Crossing Place, Suite C. Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

ITEM

19a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)
- U.S. Patent Application No. 11/674,603 Entitled "Dry Bean Line 08540800" by David M. Webster filed on 13-Feb-07.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Certer at (202) 720-2600 (voice

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

EXHIBIT A

Origin and Breeding History of Pinto Bean EX-08540800 \ Marian

7-06-7008

EX 08540800 is an upright indeterminate pinto variety that was developed at Seminis's Western Breeding Station (WBS), Filer, Idaho, by pedigree selection from a cross of a USDA pinto release, H9657-42-2, as seed parent and Buster, a Seminis pinto variety, as pollen parent.

- 1-10-00 Planted H9657-42-2and Buster in the greenhouse at WBS. Crosses made
- 6-00 Planted the F1 from above in the field at WBS. Allowed to self pollinate.
- 5-24-01 Planted F2 seeds in the field at WBS. Selected individual plants based on upright productive structure and desirable seed appearance.
- 10-1-01 Planted F3 seeds in the gh at WBS. Allowed to self pollinate.
- 1-29-02 Planted F4 seeds in the gh at WBS. Allowed to self pollinate.
- 6-31-02 Planted F5 in the field at WBS. Selected an individual plant based on erect, indeterminate, productive growth with seed that was uniform in size and color and that tended to resist weathering when exposed to light and moisture.
- 5-23-03 Panted F6 in the field at WBS as R03 31572. Observations during the growing season indicated the line was uniform and stable. Trials in North Dakota that year indicated an exceptionally erect plant type, mid early maturity, very uniform ripening, and good yield potential. All subsequent increases of EX 08540800 trace to the bulk of R03 31572.
- 6-8-04 Space planted a stock of EX 08540800 in the field at WBS under the number RWD825. Harvested as 200 individual plant selections.
- 5-25-05 Planted 200 individual plant selections in the field at WBS as a progeny increase under the number RWH524. Observations during the growing season confirmed EX 08540800 is uniform and stable.

Selection criteria in the field represent a balance of characteristics related to maturity, productivity and quality and to goodness to fit for market needs such as erect indeterminate plant, seeds that are uniform in size and color and with reduced tendency to turn dark on exposure to light and moisture, excellent canned quality (few broken beans) and resistance bean common mosaic virus and to race 53 of the rust fungus.

Observations during the two (2) years of 2003 and 2005 confirm EX 08540800 is uniform and stable within commercially acceptable limits. As is true with other dry bean varieties a small percentage of off-types can occur within commercially acceptable limits for almost any characteristic during the course of repeated multiplication. No variants are known to occur.

EXHIBIT B

Novelty Statement Concerning Pinto Bean EX 08540800

Mariah

M44 3/6/2008

EX 08540800 is a upright short vine pinto bean variety developed at the Seminis breeding station in Filer ID. To our knowledge the variety that most closely resembles EX 08540800 is the ProVita variety 'La Paz'. The comparative characteristic that best distinguishes the two includes, but may not be limited to, resistance to bean common mosaic virus. EX 08540800 carries the "I" allele for resistance to all strains of BCMV. 'La Paz' pinto does not carry the "I" allele, does not produce necrotic local lesions when inoculated with the NL3 strain of this virus, and is susceptible to the common and NY15 strains.

REPRODUCE LOCALLY, Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center et (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

Exhibit C

OBJECTIVE DESCRIPTION OF VARIETY Field Bean (Phaseolus vulgaris L.)

NAME OF APPLICANT (5) Seminis Vegetable Seeds	TEMPORARY OR EXPERIMENTAL DESIGNATION	Mariah 2/06/2008
ADDRESS (Street and No. or RD No., City, State, Zip Code, and Cod 2700 Camino del Sol Oxnard, CA 93030	untry)	PVPO NUMBER # 2 0 0 7 0 0 1 5 7
PLEASE READ ALL INSTRUCTIONS CAREFULLY:		
Provide data for all characters unless indicated as "optic Measured data should be the mean of an appropriate no may be used to determine plant color. Designate the co	umber of well spaced (15-20 cm) plants. The Ro	sters or numerical values that best describe this variety. yal Horticultural Society or any recognized color standard
COLOR SYSTEM USED:	LOCATION OF THE TEST	T(S) TO EVALUATE THIS VARIETY:
1. MARKET CLASS: CLASS 1 = Navy (Pea) 2 = Small White 3 = Black 4 = Pinto 5 = Great Northern 6 = Small Red 7 = Pink 8 = Cranberry 9 = Dark Red Kidney 10 = Light Red Kidney 11 = Yellow Eye 12 = Other (Specify	O 9 3 Days from Heat Base	ays) 2 = Medium (90-100 Days) 3 = Late (> 100 Days) Planting to Harvest Maturity Units from Planting to Harvest Maturity (Optional). Specify Temperature Used: Planting to Harvest Maturity of Check Variety (Use Check te to Market Class Shown in Item 1)
3. PLANT HABIT:		
TYPE 1 = Ia Bush-determinate, Strong and Erect Stem a 2 = ib Bush-determinate, Weak Stem and Branche 3 = Ila Erect Growth Habit-indeterminate, Guides or not developed 4 = Ilb Erect Growth Habit-indeterminate, Guides with no Ability to Climb 5 = Illa Vine-indeterminate, Short Guides with no 6 = Illb Vine-indeterminate, Long Guides with Abil 7 = IVa Indeterminate Climbing, Pods Distributed Plant 8 = IVb Indeterminate Climbing, Pods Concentrate Part of the Plant	Average H (Use Sa (Runners) short Medium to Long, ability to Climb Ility to Climb Throughout the Average H (Use Sa (Sa) Pod Position: Adaptability to M Lodging Resista	leight of Mature Plant, in cm. leight of Check Variety, in cm. leight of Check Variety, in cm. leight of Check Variety, in cm. leight of Check as Above) 1 = Low (Lower Pods Touching Soil Surface) 2 = High (Lower Pods not Touching Soil Surface) 3 = Scattered (Not Concentrated High or Low) Machine Harvest: 1 = Adapted 2 = Not Adapted lance: 1 = Good 2 = Fair 3 = Poor

4. LEAFLET MORPHOLOGY: (Use terminal Leaflet of a Fully Expanded Trifoliolate) 2 1 = Smooth 2 = Wrinkled 1 = Duli 2 = Glossy 3 = Semiglossy 4 ≈ Variable Shape: 1 ≃ Ovate 2 = Lanceolate 3 = Deltoid 4 = Cordate 5 = Rhomboid 1 Apex 1 = Acute 2 = Acuminate 3 <u>≂</u> Cuspidate 4 = Obtuse of Leaflet: 2 Base of 1 = Obtuse 2 = Oblique 3 = Cordate 4 = Cuneate 5 = Attentuate Leaflet: 1 5. FLOWER COLOR AND DAYS TO BLOOM: Color of Standard: 2 = Cream 1 = White 3 = Pink Color of Keel: 1 = White 2 = Cream 3 = Pink 4 = Blue 5 = Purple 4 = Blue 5 = Purple Color of Wings: 1 = White Days to 50% Bloom 2 = Cream 3 = Pink 4 = Blue 5 = Purple 6. POD MORPHOLOGY: (Green Pod Morphology Optional) Green Mature 3 Color Pattern: 1 = Solid 2 = Striped 3 = Blotched 4 = Mottled 5 = Other 5 Primary Color: 1 = Purple 2 = Red 3 = Green 5 = Tan 4 = Yellow 6 = Brown 7 = Other Color Modifier: 1 = Light 2 = Light Medium 3 = Medium 4 = Medium Dark 5 = Dark 6 Secondary Color: 1 = Purple 2 = Red 3 = Green 4 = Yellow 5 = Tan 6 = Brown 7 = Other Cross Section Shape: 3 = Round 4 = Figure Eight Pod Curvature 1 = Straight 2 = Slightly Curved 3 = Curved 4 = Recurved 3 Pod Beak Orientation: 1 = Straight 2 = Curved Upward 3 = Curved Downward 4 = Variable Average Beak Length, in cm.

Average Number of Seeds per Pod

1 = None

2 = Slight

3 = Deep

Constrictions:

. SEED COLOR:								
3 1=Shiny 2=	Dull 3 = Semishin	ny 4 = Varia	ble	2 1 = Monochro	ome 2:	= Polychrome		
O 3 Primary Color	r: 1 = White 2 = Yeli	•			1 = White	2 = Yellow	2 Duff	4 - To-
	5 = Brown 6 = Pin 9 = Blue 10 = Bl	k 7 = Red	8 = Purple	Secondary Color:	5 = Brown 9 = Blue	6 = Pink	7 = Red 11 = Other	4 = Tan 8 = Purpl ———
5 Color Pattern: 1 = 4=	Solid 2 = Splashed Striped 5 = Flecked	3 = Mottled 6 = Dotted		2 Hilar Ring:	1 = Absent	2 = Pre	esent	
0 2 Hillar Ring Col	lor: 1 = White 8 = Purple	2 = Yellow 9 = Blue	3 = Buff 4 = 1 10 = Black 11 =	Tan 5 = Brov Other	vn 6 = Pinl	k 7≐Re	d .	
SEED SHAPE AND WEIG	SHT:					<u>.</u>		· •
Shape of Seed Tak From Middle of Poo		2 = Oval	3 = Cuboi	id 4 = Kidn		= Truncate stigate		
-	\bigcirc	\bigcirc		<u></u>) (
	\odot	(J)		ئ <u>ات</u>	۶ د			
3 4 Dry Seed Weig	ght in g/100g Seeds (Adj	justed to 12% Moi	isture)					
ANTHOCYANIN PIGMENT	FATION:							
1 = Absent	Flowers	1 Stems	2	Pods-	2 se	eds .		
2 = Present	Leaves	1 Petioles	1	Peduncles	1 No.	des		
KNOWN DISEASE REAC	TION						<u>:</u>	
DISEASES – COMMON I White Mold, angular Leaf Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N	spot, Bactenal Wilt, Hallic Virus, Curly Top Virus, ceptible 2 = Resis	lo Blight, Fuscous , Bacterial Brown stant 3 =	Blight, Common Ba Spot, Bean Souther Tolerant	icterial Blight, Red I n Mosaic Virus, Ott 4 ≃ Avoidance	Vada Vince Da	ia Root Rot, P d Mottle Virus	ythium Wilt, S , Bean Comn	Sclerótinia non Mosaid
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN BC	Spot, Bactenar Wilt, Halic Virus, Curly Top Virus, coeptible 2 = Resistante (CN), Scientific Na	to Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica	cterial Blight, Red I n Mosaic Virus, Oth 4 = Avoidance able)	Node Virus, Po ner (Specify) _ Race(s)'''	d Mottle Virus,	, Bean Comn	non Mosai
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN BC	Spot, Bactenat Wilt, Halic Virus, Curly Top Virus, Ceptible 2 = Resis	to Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica	cterial Blight, Red I n Mosaic Virus, Oth 4 = Avoidance able)	Node Virus, Po ner (Specify) _ Race(s)'''	d Mottle Virus,	, Bean Comn	non Mosai
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN BC Disease: CN RU	Spot, Bactenar Wilt, Halic Virus, Curly Top Virus, coeptible 2 = Resistante (CN), Scientific Na	to Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica	icterial Blight, Red I in Mosaic Virus, Ott 4 = Avoidance able) pendiculatu	Node Virus, Po ner (Specify) _ Race(s) Race(s)Race(s)Race(s)Race(s)	d Mottle Virus, ' gene res	, Bean Comm	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN BC Disease: CN Ru Disease: CN	Spot, Bactenat Wilt, Halic Virus, Curly Top Virus, Curly Top Virus, Ceptible 2 = Resistante (CN), Scientific NaCMV	to Blight, Fuscous , Bacterial Brown stant 3 = time (SN), and Ra SN SN SN SN SN SN SN SN SN S	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica	icterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) ppendiculatu	Node Virus, Porer (Specify) Race(s) "!" Race(s) Re	d Mottle Virus, ' gene res	, Bean Comm	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN BC Disease: CN RU Disease: CN	Spot, Bactenat Wilt, Halic Virus, Curly Top Virus, ceptible 2 = Resistante (CN), Scientific Na	to Blight, Fuscous , Bacterial Brown stant 3 = tame (SN), and Ra ; SN; SN; SN; SN; SN; SN; SN; SN;	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) ppendiculatu	Race(s) Race(s) Race(s) Race(s) Race(s)	d Mottle Virus, ' gene res	, Bean Comm	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN RU Disease: CN Disease: CN Disease: CN Disease: CN	Spot, Bactenat Wilt, Halic Virus, Curly Top Virus, Curly Top Virus, Ceptible 2 = Resistante (CN), Scientific NaCMV	to Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN; SN	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) ppendiculatu	Race(s) Race(s) Race(s) Race(s) Race(s)	d Mottle Virus, ' gene res	, Bean Comm	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN BC Disease: CN Ru Disease: CN Disease: CN Disease: CN Disease: CN Disease: CN	Spot, Bactenat Wilt, Halic Virus, Curly Top Virus, Curly Top Virus, Ceptible 2 = Resistante (CN), Scientific NaCMV	to Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN; SN	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) ppendiculatu	Race(s) Race(s) Race(s) Race(s) Race(s)	d Mottle Virus, ' gene res	, Bean Comm	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N 2 Disease: CN BC 2 Disease: CN Ru Disease: CN	Spot, Bactenat Wilt, Halic Virus, Curiy Top Virus, Curiy Top Virus, Ceptible 2 = Resistance (CN), Scientific NaCMV	lo Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica Uromyces ap	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) ppendiculatu ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	Race(s) Race(s	gene res	sistance	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N 2 Disease: CN BC 2 Disease: CN Ru Disease: CN	Spot, Bactenat Wilt, Halic Virus, Curly Top Virus, Curly Top Virus, Eceptible 2 = Resistance (CN), Scientific NaCMV St DDE RESISTANCE: E: Aphids, Bean Pod Woode, Corn Seed Maggot,	lo Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra ; SN	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica Uromyces ap	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) ppendiculatu ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	Race(s) Race(s	gene res	sistance	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N 2 Disease: CN BC 2 Disease: CN Ru Disease: CN Disease: CN Disease: CN Disease: CN ROWN INSECT/NEMATO PESTS – COMMON NAME Beetle, Root Know Nemato Reaction: 1 = Susce	Spot, Bactenat Wilt, Halic Virus, Curiy Top Virus, Curiy Top Virus, Coeptible 2 = Resist Name (CN), Scientific NaCMV St DDE RESISTANCE: E: Aphids, Bean Pod Wode, Corn Seed Maggot, eptible 2 = Resist	lo Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN ; SN	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica Uromyces ap ettle, Com Earworm, rips, Weevils, Wester	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) pendiculatu pendiculatu Flea Beetie, Leaf Fem Bean Cutowrm, = Avoidance	Race(s) Race(s	gene res	sistance	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N 2 Disease: CN BC 2 Disease: CN Ru Disease: CN Disease: CN Disease: CN Disease: CN CNOWN INSECT/NEMATO PESTS – COMMON NAME Beetle, Root Know Nemato Reaction: 1 = Susci	Spot, Bactenat Wilt, Halic Virus, Curly Top Virus, Curly Top Virus, Eceptible 2 = Resist Name (CN), Scientific NaCMV St DDE RESISTANCE: E: Aphids, Bean Pod Woode, Corn Seed Maggot, eptible 2 = Resist ame (CN), Scientific Name	lo Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra ; SN	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica Uromyces ap etle, Com Earworm, rips, Weevils, Wester Tolerant 4 e(s), Where Applica	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) ppendiculatu ppendiculatu Flea Beetle, Leaf I- em Bean Cutowrm, = Avoidance ble)	Race(s) Race(s) Race(s) Race(s) Race(s) Race(s) Race(s) Characteristics for the content of	gene res	, Bean Comm	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N 2 Disease: CN BC 2 Disease: CN Ru Disease: CN Disease: CN Disease: CN Disease: CN CNOWN INSECT/NEMATO Reaction: 1 = Susce (Give the Common Na Pest: CN Pest: CN	Spot, Bactenat Wilt, Halic Virus, Curiy Top Virus, Curiy Top Virus, Coeptible 2 = Resist Name (CN), Scientific	lo Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN; SN; SN; SN; eevil, Bruchid Bea, Spider Mites, The lant 3 = 1 me (SN), and Rac; SN;	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica Uromyces ap ettle, Com Earworm, rips, Weevils, Wester Tolerant 4 e(s), Where Applica	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) pendiculatu pendiculatu Flea Beetie, Leaf Fem Bean Cutowrm, = Avoidance ble)	Race(s)	d Mottle Virus, gene res ace 53 Nematode, Ly	sistance	to all
Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N 2 Disease: CN BC 2 Disease: CN RU Disease: CN Disease: CN Disease: CN Disease: CN CNOWN INSECT/NEMATO PESTS – COMMON NAME Reaction: 1 = Susce (Give the Common Na Pest: CN Pest: CN Pest: CN	Spot, Bactenat Wilt, Hallic Virus, Curly Top Virus, Curly Top Virus, Iceptible 2 = Resist Name (CN), Scientific Name (CN), Scientifi	lo Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN; SN; SN; SN; eevil, Bruchid Bea, Spider Mites, Thant 3 = 1 me (SN), and Rac; SN;	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica Uromyces ap etle, Com Earworm, rips, Weevils, Wester Tolerant 4 e(s), Where Applica	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) Dendiculatu Flea Beetle, Leaf Hem Bean Cutowrm, = Avoidance ble) ;	Race(s)	d Mottle Virus, gene res ace 53	, Bean Comm	to all
Virus Wood, angular Lear Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN RU Disease: CN Disease: CN Disease: CN Disease: CN Disease: CN Disease: CN PESTS - COMMON NAME Beetle, Root Know Nemato Reaction: 1 = Susce (Give the Common Na Pest: CN Pest: CN Pest: CN	Spot, Bactenat Wilt, Halic Virus, Curiy Top Virus, Curiy Top Virus, Coeptible 2 = Resist Name (CN), Scientific	lo Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN; SN; SN; SN; eevil, Bruchid Bea, Spider Mites, Thant 3 = 1 me (SN), and Rac; SN;	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica Uromyces ap etle, Com Earworm, rips, Weevils, Wester Tolerant 4 e(s), Where Applica	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) Dendiculatu Flea Beetle, Leaf Hem Bean Cutowrm, = Avoidance ble) ;	Race(s)	d Mottle Virus, gene res ace 53	, Bean Comm	to all
Virus Wood, angular Lear Virus, Bean Yellow Mosal Reaction: 1 = Sus (Give the Common N Disease: CN RU Disease: CN Disease: CN Disease: CN Disease: CN Disease: CN Disease: CN PESTS – COMMON NAME Beetle, Root Know Nemato Reaction: 1 = Susc (Give the Common Na Pest: CN Pest: CN	Spot, Bactenat Wilt, Halic Virus, Curiy Top Virus, Curiy Top Virus, Ceptible 2 = Resist Name (CN), Scientific	lo Blight, Fuscous , Bacterial Brown stant 3 = ame (SN), and Ra; SN; SN; SN; SN; eevil, Bruchid Bea, Spider Mites, Thant 3 = 1 me (SN), and Rac; SN;	Blight, Common Ba Spot, Bean Souther Tolerant ce(s), Where Applica Uromyces ap etle, Com Earworm, rips, Weevils, Wester Tolerant 4 e(s), Where Applica	cterial Blight, Red In Mosaic Virus, Ott 4 = Avoidance able) Dendiculatu Flea Beetle, Leaf Hem Bean Cutowrm, = Avoidance ble) ;	Race(s)	d Mottle Virus, gene res ace 53	, Bean Comm	to all

13. COMMENTS:

REPRODUCE LOCALLY. Include form number and edition date on a	all reproductions.	ORM APPROVED - OMB No. 0581-0055
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to detect certificate is to be issued (7 U.S.C. 2-confidential until the certificate is issued to the certificate is included to the certificate included to the certificate is included to the certificate included to the certi	#21). The information is held
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	OR EXPERIMENTAL NUMBER	o. Water trouse
Seminis Vegetable Seeds, Inc.	EX 08540800	Mariah 2-06-20
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)
2700 Camino del Sol	(805) 647-1572	(805) 918-2545
Oxnard, California 93030	7, PVPO NUMBER	
	#2 0	0700157,
8. Does the applicant own all rights to the variety? Mark an "X" in the		
		<u></u>
		·
9. Is the applicant (individual or company) a U.S. national or a U.S.	based company? If no, give name of co	ountry. YES NO
10. Is the applicant the original owner?	NO If no, please answer one	of the following:
a. If the original rights to variety were owned by individual(s), is	(are) the original owner(a) a LLS Nation	nl/c)?
YES	NO If no, give name of count	
in the second se		•
b. If the original rights to variety were owned by a company(ies	s), is (are) the original owner(s) a U.S. ba	, •
11. Additional explanation on ownership (Trace ownership from orig	rinal breeder to current owner. Use the re	everse for extra space if needed):
The variety named in this application was developed by the Sem agreement between the employee and Seminis Vegetable Seeds, employee are assigned to the Company. No rights to such an inv	Inc., all rights to any invention, discove	ry, or development made by an
Employee (Breeder): David Webster		
Site Location: Filer, ID		
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not licen	nsees) who meet the following criteria:	
. If the rights to the variety are owned by the original breeder, that partial national of a country which affords similar protection to nationals of		
. If the rights to the variety are owned by the company which emplo nationals of a UPOV member country, or owned by nationals of a genus and species.		
. If the applicant is an owner who is not the original owner, both the	e original owner and the applicant must m	neet one of the above criteria.
he original breeder/owner may be the individual or company who d ct for definitions.	lirected the final breeding. See Section 4	11(a)(2) of the Plant Variety Protection
ccording to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor ontrol number. The valid OMB control number for this information collection is 0581-0055 cluding the time for reviewing the instructions, searching existing data sources, gathering	The time required to complete this information collect	tion is estimated to average 0.1 hour per response,

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.

Form Approved OMB NO 0581-0055
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE **SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE** BELTSVILLE, MD 20705

EXHIBIT F DECLARATION REGARDING DEPOSIT

	DECLARATION REGARDING DEPOSIT			
NAME OF OWNER (S) Seminis Vegetable Seeds, Inc.	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	TEMPORARY OR EXPERIMENTAL DESIGNATION EX 08540800		
Schinis vegetable seeds, me.	2700 Camino del Sol Oxnard, CA 93030	VARIETY NAME Mariah 2/06/08		
NAME OF OWNER REPRESENTATIVE (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	FOR OFFICIAL USE ONLY		
Carol L. Miller	2700 Camino det Soi 37437 State Highway llo Oxnard, CA 93030 Woodland, CA 95695	#200700157		

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

arolth Miller

22-Feb-07